

QUICKTRONIC T8 Instant Start

49943 / QTP 2x32T8/UNV ISN-SC



A QUICKTRONIC SYSTEM 32 UNV electronic T8 ballasts offer several advantages:– Operate OTRON T8 lamps with maximum efficacy and high lumen output– 30-40% energy savings when compared to F40T12 magnetically ballasted systems– Parallel Circuitry: keeps remaining lamps lit if one or more go out3. Small Can Enclosure for:– low profile fixture design, transportation, inventory and ergonomic benefits

Product family features

- Professional Series
- Universal voltage (120-277V)
- Small can enclosure size
- Lamp Striation Control (LSC)
- 0.88 ballast factor
- 30-40% energy savings when compared to F40T12 magnetically ballasted systems
- Min. Starting Temp: - 20°F (-29°C) for T8 lamps - 60°F (16°C) for Energy Saving T8 lamps - 0°F (-18°C) for FO40T8 lamps
- <10% THD

Areas of application

- Commercial
- Retail
- Hospitality
- Institutional
- New Construction

Product datasheet

Technical data

General product information

Product Name	QTP2x32T8UNVISNSCH 10/CS 1/SKU
Ordering Abbreviation	QTP 2x32T8/UNV ISN-SC
Brand Name	OSRAM
Family Brand Name	QUICKTRONIC Professional
General Description	QTP2x32T8UNVISNSCH Custom-2-lamp 32wT8 Instant Start electronicballast, universal voltage, normal ballast factor, 10-pk
Product Number	49943

Electrical data

Nominal Total Max Wattage	60 W
Nominal Voltage (V)	120-277V

Dimensions & weight

Ballast Height (in)	1.1810 in
Ballast Length (in)	9.4690 in
Ballast Width (in)	1.6930 in

Additional product data

Lamp Type	BALLAST
-----------	---------



QTP T8 ISN UNV Systems



QTP T8 IS 347V Systems

Packaging Information

Item number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
49943	4055462185594	Unpacked (SKU)	1		

Product datasheet

Item number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
49943	4055462185600	Shipping box (Case)	10	10.8 in x 10.2 in x 3.3 in	8.3 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

For information on specific product warranties, visit www.osram.us/warranty. Specifications are subject to change without notice.OSRAM and QUICKTRONIC are registered trademarks of OSRAM GmbH.SYLVANIA is a registered trademark of OSRAM SYLVANIA Inc.SUBSTITRONIC is a trademark of OSRAM SYLVANIA Inc.All other trademarks are those of their respective owners.