

Rittal – The System.

Faster – better – everywhere.

Conductor connection clamp – SV 3455.500

Date : Aug 10, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Conductor connection clamp – SV 3455.500

created: 10.08.2021 on www.rittal.com/com-en



Product description

Description:	For connecting round conductors and laminated copper bars.
Material:	Sheet steel
Surface finish:	Zinc-plated, passivated
Note:	Wire end ferrules should be used with fine wire conductors

Product description

To fit busbars:	Cross-section (thickness): 10 mm
Connection for round conductor cross-sections:	1 mm ² - 4 mm ²
Packs of:	15 pc(s).
Weight/pack:	0.28 kg
Copper weight (kg per piece):	0
EAN:	4028177042735
Customs tariff number:	85369010
ETIM 7.0:	EC000001

ETIM 6.0:	EC000001
eCl@ss 8.0/8.1:	27141146
eCl@ss 6.0/6.1:	27141146
Product description:	SV Conductor connection clamp, 1-4 mm ² , for bar thickness 10 mm
Approvals	
Approvals:	C-UR UR
Certificates:	EAC
Declarations:	Declaration of conformity